


MicroBlend Foliar™ Zn-Mn-B

FOLIAR-APPLIED LIQUID NUTRIENT

B 0.5%

Mn 3%

Zn 3%



GUARANTEED ANALYSIS

| | |
|------------------------------|------|
| Sulfur (S) | 3.0% |
| 3.0% Combined Sulfur | |
| Boron (B) | 0.5% |
| 0.5% Water Soluble Boron | |
| Manganese (Mn) | 3.0% |
| 3.0% Water Soluble Manganese | |
| Zinc (Zn) | 3.0% |
| 3.0% Water Soluble Zinc | |

Derived from: boric acid, manganese sulfate, and zinc sulfate.

| |
|--------------------------------|
| 2.5 US Gal / 9.5 Liters |
| 10.6 lbs per Gallon @ 68° F |
| 1.3 kgs per Liter @ 20° C |
| Net Weight 26.5 lbs / 12.0 kgs |

DO NOT STORE BELOW 40°F (5°C)

FBSciences Inc.

153 N. Main St, Suite 100 | Collierville, TN 38017 USA

V122220 | F1837

3102442



COVER (FRONT OF LABEL) ↑

SPECIMEN LABEL

↓ BACK (BACK OF LABEL)

MicroBlend Foliar™ Zn-Mn-B

DIRECTIONS FOR USE

DO NOT spray in the heat of the day or when the plant is under moisture stress. DO NOT spray to the point of runoff. Use as fine of a spray mist as possible. Allow 3-4 hours after application before sprinkler irrigating to avoid washing the product off. Shake well and/or agitate before each use.

Recommended mixing sequence: Adjuvants, pesticides, FBSciences nutrient products, other fertilizers, balance of water. When mixing with high phosphate fertilizers, add a citric acid buffer until the pH is 4.5 to 5.0 to improve compatibility and uptake. Ensure agitation is available when mixing with calcium fertilizers. DO NOT mix with crop oil concentrates without first consulting your local agronomist. A standard jar test is recommended before tank mixing.

RATES & TIMING FOR ALL CROPS

Orchards & Vineyards: Apply **1-4 quarts/acre** at any growth stage. DO NOT apply higher rates with crop oil concentrates. Use the higher label rates with spray volumes of 50 gal/acre or greater. Repeat as needed.

Field, Row, Vegetable & Fruit Crops: Apply **1-2 quarts/acre** when there is sufficient leaf area to absorb the spray. Repeat as needed.

Sugar Beets: Apply **2-4 quarts/acre** any time after 4th leaf. Repeat as needed.

INSTRUCCIONES DE USO

NO rociar en el calor del día o cuando la planta esté bajo estrés hídrico. NO rociar hasta el punto de escurrimiento. Usar una neblina de rociado tan fina como sea posible. Deje pasar de 3-4 horas después de la aplicación antes de regar con aspersión para evitar lavar el producto. Agitar bien y / o agitar antes de cada uso.

Secuencia de mezcla recomendada: Adyuvantes, pesticidas, productos nutritivos de FBSciences, otros fertilizantes, balance de agua. Al mezclar con fertilizantes altos en fosfato, agregar un buffer de ácido cítrico hasta que el pH esté de 4.5 a 5.0 para mejorar la compatibilidad y la absorción. Asegurarse de que la agitación este disponible cuando se mezcla con fertilizantes de calcio. NO mezclar con concentrados de aceite de cultivo sin antes consultar con su agrónomo local. Se recomienda realizar una prueba de jarra estándar antes de mezclar.

TASAS Y MOMENTO PARA TODOS LOS CULTIVOS

Huertos y Viñedos: Aplicar de **1 a 4 cuartos de galón/acre**. Aplicar en cualquier etapa de crecimiento. NO aplicar tasas más altas con concentrados de aceite de cultivo.

Utilizar las tasas de etiqueta más altas con volúmenes de rociado de 50 galón/acre o más. Repetir según sea necesario. **Cultivos de Campo, de Hileras, Vegetales y Frutas:**

Aplicar de **1 a 2 cuartos de galón/acre** Aplicar cuando haya suficiente área de hojas para absorber el rocío. Repetir según sea necesario. **Remolacha Azucarera:** Aplicar de **2 a 4 cuartos de galón/acre**. Aplicar en cualquier momento después de la cuarta hoja. Repetir según sea necesario.

WARNING: This product contains boron. Over application or excessive use of boron, or use on crops other than those listed, can result in boron toxicity, causing foliar damage or serious plant injury.

WARNING

READ ENTIRE LABEL BEFORE USE | KEEP OUT OF REACH OF CHILDREN



HAZARD STATEMENTS Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

AVISO PELIGRO Nocivo si se ingiere. Provoca irritación cutánea. Provoca irritación ocular grave.

PRECAUTIONARY STATEMENTS Wear protective gloves/clothing and eye/face protection. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. **IF ON SKIN:** Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention. **IF SWALLOWED:** Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Dispose of contents/container in accordance with local/national regulations.

WARRANTY AND CONDITIONS OF SALE Manufacturer warrants that this material conforms to the chemical description hereon and is reasonably fit for use as directed. No other warranty is made, either expressed or implied. BEFORE OPENING, see other conditions and limitations that apply which are available at: <http://www.FBSciences.com/ProductConditionsOfSale/>. See patent and other patents pending: <http://www.fbsciencespatents.com>. Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>