

ProTransit[®] 500

DIRECTIONS FOR USE

DO NOT spray in the heat of the day or when the plant is under moisture stress. DO NOT spray to the point of runoff. Use as fine of a spray mist as possible. Allow 3-4 hours after application before sprinkler irrigating to avoid washing the product off. For soil applications, use watered-in applications for best results. May be applied via irrigation system or prior to irrigation. Apply enough water to move the product into the area of active rooting, but not excessive amounts that may leach. Use the higher label rates with surface and flood irrigation. Shake well and/or agitate before use.

ProTransit 500 is compatible with most fertilizers regardless of pH. However, a standard jar test is recommended before tank mixing.

RATES & TIMING FOR ALL CROPS

In Furrow or Pop-up Fertilizers	Mix 1.2-1.6 ounces/acre with applications near the seed.
Banded, Broadcast, Irrigation, & Foliar Applications	Apply 1.6-2.4 ounces/acre; higher rates of other products in the tank require the higher label rates of ProTransit 500. For foliar applications, use higher rate with spray volume over 50 gallons/acre.
Dry Granular Fertilizers	Impregnate 6.4-48 ounces/acre onto each ton of dry fertilizer depending on the final application of fertilizer in the field. Final applied fertilizer should carry 1.6-2.4 ounces/acre of ProTransit 500.

WARRANTY AND CONDITIONS OF SALE Manufacturer warrants that this material conforms to the chemical description hereon and is reasonably fit for use as directed. No other warranty is made, either expressed or implied. BEFORE OPENING, see other conditions and limitations that apply which are available at: <http://www.FBSciences.com/ProductConditionsOfSale/>.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>.

See patent and other patents pending: <http://www.fbsciencespatents.com>.

10.0 Liters / 2.64 US GAL
1.0 kgs per Liter @ 20° C
8.6 lbs per Gallon @ 68° F
Net Weight 10.4 kgs / 22.9 lbs

FBSciences Inc.
153 N. Main St, Suite 100
Collierville, TN 38017 USA

F1837
V062719

14412512

GUARANTEED ANALYSIS

Zinc (Zn) 0.50%
0.50% Chelated Zinc
Derived from: zinc EDTA.

READ ENTIRE LABEL BEFORE USE
SHAKE WELL BEFORE USE
DO NOT STORE BELOW 40°F (5°C)
KEEP OUT OF REACH OF CHILDREN
WARNING



HAZARD STATEMENTS

Harmful if swallowed. May be harmful in contact with skin.

PRECAUTIONARY STATEMENTS

Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.

IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

Dispose of contents/container in accordance with local/national regulations.

fbsciences 